

INSPECTION DATA

ISSUE NO:RGD-RC-007

CUSTOMER				DATE	2002/8/12	Quantity	10	pcs
PART NO.	CTRC0930-1-14							
ITEM	CTRC-0930-1B							
COIL SPEC	0.65 Φ X 100 mm 2 U.E. W 1 TS							
COIL DATA	QO=	CO=	(PF)					
TEST FREQ	FO=	Hz	Ft=25, 100 MHz					
TEMPERATURE	28 °C	Humidity	72 %					

	ELECTRIC CHAREC.				DIMENSION(Unit:mm)									
	L	Q	Z	Z	A	B	C	D	E	F	G	H	I	
SP			80.00	130.0	19.50	18.00	9.00	35.00	5.50					
+					1.00	1.00	0.30	1.00	1					
-			0	0	1.00	1.00	0.30	1.00	1					
1			114.6	198.0	19.52	18.58	9.07	35.33	5.50					
2			111.3	205.0	19.50	18.60	9.01	35.35	5.52					
3			117.1	199.0	19.40	18.43	9.02	35.28	5.49					
4			112.6	198.9	19.46	18.50	9.06	35.40	5.51					
5			112.9	196.7	19.25	18.25	9.05	35.29	5.50					
6			115.1	203.2	19.44	18.43	9.00	35.35	5.51					
7			112.4	200.7	19.47	18.42	9.00	35.31	5.50					
8			112.1	199.7	19.45	18.26	9.03	35.37	5.50					
9			113.7	201.6	19.42	18.45	8.99	35.27	5.50					
10			114.1	198.9	19.21	18.23	9.05	35.33	5.49					
X			113.6	200.2	19.41	18.42	9.03	35.33	5.50					
R			5.80	8.30	0.31	0.37	0.08	0.13	0.03					

TEST INSTRUMENTS

1. IMPEDANCE ANALYZER: HP4191A

INSP No:

REMARK:

CTRC-0930-1B

Z-F RESPONSE

1. TEST INSTRUMENT: HP4191A 500MHz

2. WINDING: 0.65Φ X 100 mm 2U. E. W 1 Ts

