

5

4

3


2

1

Date	Rev.	Description

JAMECO NO.	GOLDSUN NO.	AS SUPPLIED		AFTER SHRINKAGE	
		D	W	d	w
	F32-1	1.4±0.2	0.2	0.5	0.33
71327	F32-1.5	2.0±0.2	0.2	0.75	0.36
71871	F32-2	2.5±0.2	0.2	1.0	0.44
71280	F32-2.5	3.0±0.2	0.25	1.25	0.44
644851, 644834	F32-3	3.5±0.3	0.25	1.5	0.44
	F32-3.5	4.0±0.3	0.25	1.75	0.44
644869, 644877	F32-4	4.5±0.3	0.25	2.0	0.44
72063, 644906, 644914	F32-5	5.4±0.3	0.25	2.5	0.56
644931, 644949	F32-6	6.4±0.4	0.25	3.0	0.56
	F32-7	7.4±0.4	0.25	3.5	0.56
644957, 644965	F32-8	8.4±0.4	0.25	4.0	0.56
	F32-9	9.4±0.4	0.25	4.5	0.56
	F32-10	10.4±0.4	0.25	5.0	0.56
644973, 644981	F32-11	11.4±0.4	0.25	5.5	0.56
	F32-12	12.4±0.4	0.25	6.0	0.56
	F32-13	13.5±0.4	0.3	6.5	0.69
	F32-14	14.5±0.4	0.3	7.0	0.69
644990	F32-15	15.5±0.5	0.3	7.5	0.69
	F32-16	16.8±0.5	0.3	8.0	0.69
	F32-18	18.7±0.5	0.35	9.0	0.77
	F32-20	21.2±0.6	0.35	10.0	0.77
	F32-22	23.2±0.6	0.4	11.0	0.77
	F32-25	26.1±0.8	0.4	12.5	0.87
	F32-28	29.0±1.0	0.45	14.0	0.87
	F32-30	32.0±1.0	0.5	15.0	0.87

F32 TYPE



DCC. NO.
A4 DRAWING NO.

MATERIAL		GOLDSUN ELECTRONICS CO., LTD.			
		JAMECO NO.		GOLDSUN NO.	
DRAWN: Simon Yeh		DESCRIPTION HEAT-SHRINKABLE TUBINGS			Rev. 1
VERIFY PEOPLE: Wendy Chen		UNIT: mm	SCALE:	SHEET 1 OF 1	CAS No: ERN No:

C

B

A